

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	203550	(ID or identification or identity or address or identify\$4) with (bit or byte)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/20 10:25
L2	3728	711/1,2,3,4,5,6.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/20 10:25
L3	2267	L1 and L2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/20 14:39
L4	1423	710/62.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/20 10:26
L5	101560	(address near3 (acquisition or determin\$6 or configr\$7 or map\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/20 11:45
L6	2097	L5 with ((order\$4 or position or invert\$4 or interchang\$4 or swap\$4 or manipul\$4) near3 (bit or byte or signal or line))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/20 11:45
L7	248	L5 with ((re\$order\$4 or invert\$4 or interchang\$4 or swap\$4 or manipul\$4) near3 (bit or byte or signal or line))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/20 10:51
L8	1358	3 and 5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/20 11:45
L9	774	8 and ((order\$4 or position or invert\$4 or interchang\$4 or swap\$4 or manipul\$4) near3 (bit or byte or signal or line))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/20 11:46

EAST Search History

L10	54	700/24.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/20 13:48
L11	695	710/3,4.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/20 13:48
L12	2	HAVERINEN-ANSSI.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/20 14:50
L13	4	KARPPINEN-PEKKA.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/20 14:50
L14	7	LATVA-AHO-ANTTI.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/20 14:50
L15	3	WEBB-NEIL.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/20 14:51

EAST Search History

S9	356	710/3.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 14:46
S10	0	S9 and (bus near3 (line or signal or bit) near3 permutation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/24 16:46
S11	0	S6 and (bus near3 (line or signal or bit) near3 permutation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/24 16:47
S12	2	S6 and ((line or signal or bit) near3 permutation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/24 16:47
S13	2664	711/1,2,3,4,5,6.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 14:46
S14	1308	(look\$up near2 (table or list)) with (id or address or identity) with (device or peripheral or element)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 10:57
S15	660	S14 and ((bus or address) near3 (line or bit or signal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 11:06
S16	211	S15 and (address near3 (acquisition or determin\$6 or configr\$7))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 11:08
S17	275	S15 and (address near3 (acquisition or determin\$6 or configr\$7 or map\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 13:53
S18	3	S17 and (swap\$5 near3 bit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 12:51

EAST Search History

S19	75083	(address near3 (acquisition or determin\$6 or configr\$7 or map\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 13:54
S20	4193	S19 same ((order\$4 or position or invert\$4 or interchang\$4 or swap\$4 or manipul\$4) near3 (bit or byte or signal or line))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 13:55
S21	1732	S19 with ((order\$4 or position or invert\$4 or interchang\$4 or swap\$4 or manipul\$4) near3 (bit or byte or signal or line))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 13:59
S22	908	S21 and (chip or IC or PLD or (integrated near circuit) or (programmable near logic\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 14:01
S23	69	S21 same (chip or IC or PLD or (integrated near circuit) or (programmable near logic\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 15:09
S24	544	(chip or IC or PLD or (integrated near circuit) or (programmable near logic\$3)) with (request\$4 near4 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 15:23
S25	451	S24 and (multiple or plurality)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 15:10
S26	166	(chip or IC or PLD or (integrated near circuit) or (programmable near logic\$3)) adj6 (request\$4 near4 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 15:17
S27	51	(chip or IC or PLD or (integrated near circuit) or (programmable near logic\$3)) with ((send\$4 or transmit\$4 or transf\$4) near3 (request\$4 near4 address))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 16:35
S28	63086	(ID or identity or address) near3 (acquisition or acquir\$4 or obtain\$4 or get\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 16:35

EAST Search History

S29	57926	(ID or identity or address) near3 (acquisition or acquir\$4 or obtain\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 16:35
S30	21	S29 and ((chip or IC or PLD or (integrated near circuit) or (programmable near logic\$3)) with ((send\$4 or transmit\$4 or trans\$4) near3 (request\$4 near4 (address or ID or identity))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 16:58
S31	0	S29 and ((chip or IC or PLD or (integrated near circuit) or (programmable near logic\$3)) with ((send\$4 or transmit\$4 or trans\$4) near3 (retriv\$4 near4 (address or ID or identity))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 16:59
S32	16	S29 and ((chip or IC or PLD or (integrated near circuit) or (programmable near logic\$3)) with ((send\$4 or transmit\$4 or trans\$4) near3 ((Retriev\$4 or get\$4 or obtain\$4) near4 (address or ID or identity))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 15:14
S33	539	S29 and ((device or peripheral or element or unit) with ((send\$4 or transmit\$4 or trans\$4) near3 ((Retriev\$4 or get\$4 or obtain\$4) near4 (address or ID or identity))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 18:26
S34	539	S29 and ((device or peripheral or element or unit or FPGA) with ((send\$4 or transmit\$4 or trans\$4) near3 ((Retriev\$4 or get\$4 or obtain\$4) near4 (address or ID or identity))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 18:26
S35	2	("6161213").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/20 15:14
S36	3025	(chip or IC or PLD or (integrated near circuit) or (programmable near logic\$3)) with (bus or line) with connector	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 15:42
S37	1544	(IC or (integrated near circuit)) with (bus or line) with connector	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 15:42

EAST Search History

S38	39	S36 with (mux or multiplex\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 15:36
S39	17	S37 with (mux or multiplex\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 15:59
S40	2	("6192431").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/17 15:37
S41	1611	(IC or (integrated near circuit)) with (bus or line) with connector	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 15:43
S42	18	S41 with (mux or multiplex\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 15:43
S43	3169	(chip or IC or PLD or (integrated near circuit) or (programmable near logic\$3)) with (bus or line) with connector	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 15:43
S44	41	S43 with (mux or multiplex\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/18 10:00
S45	62006	(ID or identity or address) near3 (acquisition or acquir\$4 or obtain\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 15:43
S46	17	S45 and ((chip or IC or PLD or (integrated near circuit) or (programmable near logic\$3)) with ((send\$4 or transmit\$4 or transf\$4) near3 ((Retriev\$4 or get\$4 or obtain\$4) near4 (address or ID or identity))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 15:43

EAST Search History

S47	25	S45 and ((chip or IC or PLD or (integrated near circuit) or (programmable near logic\$3)) with ((send\$4 or transmit\$4 or transf\$4) near3 (request\$4 near4 (address or ID or identity))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 15:43
S48	56	(chip or IC or PLD or (integrated near circuit) or (programmable near logic\$3)) with ((send\$4 or transmit\$4 or transf\$4) near3 (request\$4 near4 address))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 15:43
S49	2	("6161213").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/18 10:08
S50	2007	order with bit with (determ\$6 or calculat\$4) with address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/18 10:09
S51	616	order near4 bit near4 (determ\$6 or calculat\$4) near4 address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/18 10:10
S52	412	order near3 bit near3 (determ\$6 or calculat\$4) near3 address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/18 10:10
S53	24	order near3 bit near3 (determ\$6 or calculat\$4) near3 address near4 bus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/18 10:37
S54	746	(address or id or identify) near4 (device or unit or peripheral or element or apparatus or computer) near4 order near4 (bit or byte)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/18 10:45
S55	27	S54 near4 (determ\$6 or calculat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/18 10:45

EAST Search History

S56	776	(address or id or identify) near4 (device or unit or peripheral or element or apparatus or computer) near4 order near4 (bit or byte)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/03 16:18
S57	29	S56 near4 (determ\$6 or calculat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/03 16:18
S58	24	order near3 bit near3 (determ\$6 or calculat\$4) near3 address near4 bus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/03 16:18
S59	776	(address or id or identify) near4 (device or unit or peripheral or element or apparatus or computer) near4 order near4 (bit or byte)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 09:04
S60	29	S59 near4 (determ\$6 or calculat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 09:04
S61	24	order near3 bit near3 (determ\$6 or calculat\$4) near3 address near4 bus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 09:04
S62	776	(address or id or identify) near4 (device or unit or peripheral or element or apparatus or computer) near4 order near4 (bit or byte)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 09:04
S63	29	S62 near4 (determ\$6 or calculat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 09:04
S64	24	order near3 bit near3 (determ\$6 or calculat\$4) near3 address near4 bus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 09:04
S65	64	(chip or IC or PLD or (integrated near circuit) or (programmable near logic\$3)) with ((send\$4 or transmit\$4 or transf\$4) near3 (request\$4 near4 address))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 09:04

EAST Search History

S66	69144	(ID or identity or address) near3 (acquisition or acquir\$4 or obtain\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 09:05
S67	19	S66 and ((chip or IC or PLD or (integrated near circuit) or (programmable near logic\$3)) with ((send\$4 or transmit\$4 or transf\$4) near3 ((Retriev\$4 or get\$4 or obtain\$4) near4 (address or ID or identity))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 09:05
S68	1134	710/62.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 10:44
S69	627	710/3,4.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 10:51
S70	120374	(Determin\$4 or establish\$4 or get\$4 or acquir\$4 or obtain\$4 or attain\$4) with (Device or peripheral or unit or element or component) with (ID or identification or identity or address or identify\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 16:06
S71	181	S68 and S70	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 10:52
S72	235	S69 and S70	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 10:52
S73	181978	(ID or identification or identity or address or identify\$4) with (bit or byte)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 16:05
S74	70	S71 and S73	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 10:55

EAST Search History

S75	160	S72 and S73	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 15:27
S76	139051	(Determin\$4 or establish\$4 or get\$4 or acquir\$4 or obtain\$4 or attain\$4 or assign\$5) with (Device or peripheral or unit or element or component) with (ID or identification or identity or address or identify\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 16:07
S77	1774	(two\$wire or three\$wire or four\$wire) near3 bus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 16:08
S78	308	S76 and S77	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 16:08
S79	15	S76 same S77	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 16:11
S80	51	700/24.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 16:12
S81	1	S77 and S80	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 16:27
S82	3	("2001054102").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/13 11:33
S83	2	("20010054102").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/13 11:33

EAST Search History

S84	147524	(Determin\$4 or establish\$4 or get\$4 or acquir\$4 or obtain\$4 or attain\$4 or assign\$5) with (Device or peripheral or unit or element or component) with (ID or identification or identity or address or identify\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/15 16:26
S85	1817	(two\$wire or three\$wire or four\$wire) near3 bus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/15 16:26
S86	15	S84 same S85	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 10:59
S87	1255	710/62.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/15 16:26
S88	127826	(Determin\$4 or establish\$4 or get\$4 or acquir\$4 or obtain\$4 or attain\$4) with (Device or peripheral or unit or element or component) with (ID or identification or identity or address or identify\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/15 16:26
S89	198	S87 and S88	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/15 16:26
S90	188480	(ID or identification or identity or address or identify\$4) with (bit or byte)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/15 16:40
S91	74	S89 and S90	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/15 16:40
S92	2	("7133906").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/16 10:59

EAST Search History

S93	1374	710/62.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/03 20:41
S94	140759	(Determin\$4 or establish\$4 or get\$4 or acquir\$4 or obtain\$4 or attain\$4) with (Device or peripheral or unit or element or component) with (ID or identification or identity or address or identify\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/03 20:41
S95	212	S93 and S94	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/03 20:41
S96	198044	(ID or identification or identity or address or identify\$4) with (bit or byte)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/03 20:41
S97	77	S95 and S96	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/03 20:41
S98	1374	710/62.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/03 23:11
S99	2	("20010054102").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/03 20:42
S10 0	3640	711/1,2,3,4,5,6.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/03 23:24
S10 1	2215	S96 and S100	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/03 23:31

EAST Search History

S10 2	631	S101 and S94	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/03 23:31
----------	-----	--------------	---	----	----	------------------

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	33790	((re\$order\$4 or invert\$4 or interchang\$4 or swap\$4 or manipul\$4) near3 (bit or byte or signal or line)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/20 16:09
L2	137941	((order\$4 or position or invert\$4 or interchang\$4 or swap\$4 or manipul\$4) near3 (bit or byte or signal or line)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/20 16:09
L3	1997	1 and ((ID or identification or identity or address or identify\$4) near3 (acquisition or determin\$6 or configr\$7 or map\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/20 16:11
L4	9431	2 and ((ID or identification or identity or address or identify\$4) near3 (acquisition or determin\$6 or configr\$7 or map\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/20 16:11